



CROCHET | SKILL LEVEL: INTERMEDIATE

MATERIALS

Caron® Colorama Lacy™ (8 oz/227 g; 361 yds/330 m)

Sizes	XS/S	M	L	
Contrast A	2	2	2	balls
Cobblestones (11008)	470/425	470/425	530/480	yds/m
Contrast B	4	4	5	balls
Creamy (11003)	1135/1030	1250/1135	1360/1235	yds/m
Sizes	XL	2/3XL	4/5XL	
Contrast A	2	2	2	balls
Cobblestones (11008)	530/480	585/530	645/585	yds/m
Contrast B	5	5	6	balls
Creamy (11003)	1475/1340	1585/1440	1700/1545	yds/m

Size U.S. J/10 (6 mm) Susan Bates® Silvalume® crochet hook
or size needed to obtain gauge. Susan Bates® stitch markers.
 Susan Bates® yarn needle.

SIZES

To fit chest measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished chest

XS/S	38" [96.5 cm]
M	42" [106.5 cm]
L	46" [117 cm]
XL	50" [127 cm]
2/3XL	56" [142 cm]
4/5XL	64" [162.5 cm]

GAUGES

11 sc and 12 rows = 4" [10 cm]
4 groups of 3-dc = 4½" [11.5 cm].

ABBREVIATIONS

Approx = Approximately	Rep = Repeat
Beg = Beginning	Rnd(s) = Round(s)
Ch = Chain(s)	RS = Right side
Cont = Continue(ity)	Sc = Single crochet
Dc = Double crochet	Sl st = Slip stitch
Hdc = Half double crochet	Sp(s) = Space(s)
Inc = Increase	St(s) = Stitch(es)
Pat = Pattern	Tr = Treble crochet
PM = Place marker	WS = Wrong side
Rem = Remaining	Yoh = Yarn over hook

INSTRUCTIONS

The instructions are written for **XS/S**. If changes are necessary for larger sizes the instructions will be written **XS/S (M-L-XL-2/3XL-4/5XL)**. Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Front and Back pieces are worked from center outward.
- Ch 3 at beg of row counts as dc.
- To change color, work to last 3 loops on hook and draw new color through last 2 loops, then proceed in new color.
- Ch 1 and joining hdc counts as corner ch-3 sp.

Stripe Pat

With A, work 3 rnds.

With B, work 1 rnd.

These 4 rnds form Stripe Pat.

FRONT



**Beg at center, with A, ch 4. Join with sl st to first ch to form a ring. See diagram on page 7.

1st rnd: Ch 3. 2 dc in ring. (Ch 3. 3 dc) 3 times in ring. Ch 1. Join with hdc to top of beg ch-3.

2nd rnd: Ch 3. 2 dc around post of joining hdc. (3 dc. Ch 3. 3 dc) in each of next 3 corner ch-3 sp. 3 dc in first ch-3 sp. Ch 1. Join with hdc to top of beg ch-3.

3rd rnd: Ch 3. 2 dc around post of joining hdc. *3 dc in sp between next 2 groups of 3-dc.** (3 dc. Ch 3. 3 dc) in next corner ch-3 sp. Rep from * twice more, then from * to ** once. 3 dc in first ch-3 sp. Ch 1. Join B with hdc to top of beg ch-3.

Do not break A.

4th rnd: With B, ch 3. 2 dc around post of joining hdc. *(3 dc in sp between next 2 groups of 3-dc) twice.** (3 dc. Ch 3. 3 dc) in next corner ch-3 sp. Rep from * twice more, then from * to ** once. 3 dc in first ch-3 sp. Ch 1. Join A with hdc to top of beg ch-3.

First 4 rnds of Stripe Pat are complete.

Keeping cont of Stripe Pat, proceed as follows:

5th rnd: With appropriate color, ch 3. 2 dc around post of joining hdc. *(3 dc in sp between next 2 groups of 3-dc) to next corner ch-3 sp.** (3 dc. Ch 3. 3 dc) in next corner ch-3 sp. Rep from * twice more, then from * to ** once. 3 dc in first ch-3 sp. Ch 1. Join with hdc to top of beg ch-3.

Keeping cont of Stripe Pat, rep last rnd until work between diagonal corners measures approx **16 (16-18-18-20-22)" [40.5 (40.5-45.5-45.5-51-56) cm]** wide, ending with A. Fasten off A and B.

CORNER SECTIONS - U/C. See diagram on page 7.

With RS facing, join B with sl st to any corner ch-3 sp.



1st row: (RS). Ch 4 (counts as tr). Skip first 3-dc group. *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. Skip last 3-dc group. 1 tr in next corner ch-3 sp. Turn.

2nd row: Ch 4. *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. Skip last 3-dc group. 1 tr in top of turning ch-4. Turn.

Rep last row until row: "**Ch 4. 3 dc in sp between next 2 groups of 3-dc. Skip last 3-dc group. 1 tr in top of turning ch-4. Turn.**" is complete.

Next row: Ch 4. Skip next dc. Yoh and draw up a loop in next dc. Yoh and draw through 2 loops on hook. Skip next dc. (Yoh) twice and draw up a loop in top of turning ch-4. (Yoh and draw through 2 loops on hook) twice. Yoh and draw through all 3 loops on hook – tr3tog made. Fasten off.

Rep Corner Section in rem 3 sides to create square with each side approx **16 (16-18-18-20-22)" [40.5 (40.5-45.5-45.5-51-56) cm]** wide.

SIDE SECTIONS. See diagram on page 7.



Left Side: 1st row: (RS). Join B with sl st to top left corner (top of tr3tog). Ch 3. *2 dc around next tr post or next ch-4 sp. Rep from * to end of row. 1 dc in bottom left corner (top of tr3tog). Turn.

2nd row: Ch 3. 1 dc in sp between first dc and next 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 1 dc in sp between last 2-dc group and last dc. 1 dc in last dc. Turn.

3rd row: Ch 3. 2 dc in sp between next dc and following 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 2 dc in sp between last 2-dc group and following dc. Skip next dc. 1 dc in last dc. Turn.

Rep last 2 rows until Left Side from 1st row measures approx **1½ (2½-2½-3½-4-5)**" [**4 (6-6-9-10-12.5)** cm]. Fasten off.

Right Side: Work as for Left Side, joining B with sl st to bottom right corner (top of tr3tog).

BOTTOM SECTION - U/C

Turn work bottom side up and work across bottom edge as follows: See Diagram on page 7.

1st row: (RS). Join B with sl st to top right corner. Ch 3. *2 dc around next (dc post or tr post or next corner ch-3 sp or ch-4 sp). Rep from * to end of row. 1 dc in top left corner. Turn.

2nd row: Ch 3. 1 dc in sp between first dc and next 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 1 dc in sp between last 2-dc group and last dc. 1 dc in last dc. Turn.

3rd row: Ch 3. 2 dc in sp between next dc and following 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 2 dc in sp between last 2-dc group and following dc. Skip next dc. 1 dc in last dc. Turn.

Rep last 2 rows until Bottom Section from 1st row measures approx 3" [7.5 cm], ending on a RS row. Fasten off.

TOP SECTION - U/C

Turn work top side up and work across top edge as follows: See Diagram on page 7.

1st row: (RS). Join B with sl st to top right corner. Ch 3. *2 dc around next (dc post or tr post or next ch-3 sp or ch-4 sp). Rep from * to end of row. 1 dc in top left corner. Turn.

2nd row: Ch 3. 1 dc in sp between first dc and next 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last dc. 1 dc in sp between last 2-dc group and last dc. 1 dc in last dc. Turn.

3rd row: Ch 3. 2 dc in sp between next dc and following 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 2 dc in sp between last 2-dc group and following dc. Skip next dc. 1 dc in last dc. Turn.**

PM at each side (between 2-dc groups) of center **11 (11-13-13-15-15)** 2-dc groups.

Shape left side neck edge: 1st row: (WS). Ch 3. 1 dc in sp between first dc and next 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group before marker. 1 tr in sp between next 2 groups of 2-dc (at marker). **Turn.** Leave rem sts unworked.

2nd row: Ch 4 (counts as tr). *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group. 2 dc in sp between last 2-dc group and following dc. Skip next dc. 1 dc in last dc. Turn.

3rd row: Ch 3. 1 dc in sp between first dc and next 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group and tr. Skip next 2-dc group. 1 tr in top of ch-4. Turn.

4th row: As 2nd row. Fasten off.

Shape left side neck edge: 1st row: (WS). Skip next **11 (11-13-13-15-15)** 2-dc groups. Join B with sl st between last skipped group and next 2-dc group. Ch 4 (counts as tr). *2 dc in sp between next 2 groups of 2-dc. Rep from * to last dc. 1 dc in sp between last 2-dc group and last dc. 1 dc in last dc. Turn.

2nd row: Ch 3. 2 dc in sp between next dc and following 2-dc group. *2 dc in sp between next 2 groups of 2-dc. Rep from * to last 2-dc group and turning ch-4. Skip next 2-dc group. 1 tr in top of ch-4. Turn.

3rd row: Ch 4 (counts as tr). *2 dc in sp between next 2 groups of 2-dc. Rep from * to last dc. 1 dc in sp between last 2-dc group and last dc. 1 dc in last dc. Turn.

4th row: As 2nd row. Fasten off.

BACK

Work from ** to ** as given for Front.

Rep last 2 rows until Top Section from 1st row measures same length as Front, ending on a RS row. Fasten off.

SLEEVES

With B, ch **26 (26-28-30-32-34)**.

1st row: (RS). 2 dc in 4th ch from hook (counts as 3-dc group with beg ch-3). *Skip next ch. 3 dc in next ch. Rep from * to end of chain. Turn. **12 (12-13-14-15-16)** groups of 3-dc.

2nd row: Ch 3. 3 dc in sp between first and next 3-dc groups. *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. Skip next 2 dc. 1 dc in last dc. Turn.

3rd row: Ch 3. 2 dc in sp between first dc and next 3-dc group (counts as 3-dc group). *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. 2 dc in sp between last 3-dc group and last dc. 1 dc in last dc (counts as 3 dc group). Turn.

4th row: (inc row). Ch 3. 1 dc in first dc. 3 dc in sp between first and next 3-dc groups. *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. Skip next 2 dc. 2 dc in last dc. Turn.

5th row: (inc row). Ch 3. 1 dc in first dc. 3 dc in sp between first 2-dc group and next 3-dc group. *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. 3 dc in sp between last 3-dc group and 2-dc group. Skip next dc. 2 dc in last dc. Turn.

6th row: Ch 3. 2 dc in sp between first 2-dc group and next 3-dc group (counts as 3-dc group). *3 dc in sp between next 2 groups of 3-dc. Rep from * to last 3-dc group. 2 dc in sp between last 3-dc group and 2-dc group. Skip next dc. 1 dc in last dc (counts as 3-dc group). Turn. **13** (13-14-15-16-17) groups of 3-dc.

Rep 4th to 6th rows 3 times more. **16** (16-17-18-19-20) groups of 3-dc.

Rep 2nd and 3rd rows until Sleeve from beg measures approx 17" [43 cm], ending on 3rd row.

Fasten off.

FINISHING

Sew shoulder seams.


Neck edging: With RS facing, join B with sl st to left shoulder seam.



1st rnd: Ch 1. Work in sc evenly around neck edge. Join with sl st to first sc.

2nd rnd: Ch 1. 1 sc in same sp as sl st. 1 sc in each sc around. Join with sl st to first sc. Fasten off.

PM **9** (9-10-0-10½-11)" [**23** (23-24.5-24.5-27-28) cm] down from shoulders at each side of Front and Back. Sew in Sleeves between markers.

Sew side and sleeve seams.





- STITCH KEY
- = chain (ch)
 - = slip stitch (sl st)
 - ⌋ = double crochet (dc)
 - ⌋⌋ = treble crochet (tr)
 - ⌋⌋⌋ = cluster (cl)
 - * = marker

